

SPE RESPONSE FOR CERTIFICATE OF CORRECTION

Paper No.: X

DATE : June 02, 2008

TO SPE OF : ART UNIT 2879

SUBJECT : Request for Certificate of Correction for Appl. No.: 10/796102 Patent No.: 7242136 B2

A response is requested with respect to a request for a certificate of correction.

With respect to the change(s) requested to correct Office and/or Applicant's errors, should the patent read as shown in the certificate of correction attached herewith or the COCIN document(s), in IFW images for the above-identified patented application? No new matter should be introduced, nor should the scope or meaning of the claims be changed.

If the response is for an IFW, within 7 days, please complete and forward the response, to the employee (named below) via scanning into application images, using document code COCX.

**DO NOT SENT TO ATTORNEY**

If the response is for a paper file wrapper, please complete the response and forward the response with the paper file wrapper, to the employee (named below), within 7 days, to:

**Certificates of Correction Branch (CofC)**

**South Tower - 9A22**

**Palm Location 7580**

**You can fax the Directors/SPE response to 571-270-9990**

**LAMONTE NEWSOME**

**Certificates of Correction Branch**

**703-308-9390 ext. 112**

**Thank You For Your Assistance**

**The request for issuing the above-identified correction(s) is hereby:**

Note your decision on the appropriate box.

**Approved** All changes apply.

**Approved in Part** Specify below which changes **do not apply**.

**Denied** State the reasons for denial below.

**Comments:** \_\_\_\_\_

/AP/

2889

Examiner Ashok Patel (For SPE Toan Minh-Ton)

Art Unit

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7242136 B2  
APPLICATION NO. : 10/796,102  
ISSUE DATE : 07/10/07  
INVENTOR(S) : KIM, YOUNG SUNG

1 of 5

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

The Title Page, showing an illustrative figure, should be deleted and substitute therefor the attached Title Page.

Delete drawings sheets 6 of 9, 7 of 9 and 9 of 9 and substitute therefor the drawing sheets, consisting of figs. 8, 9 and 11 as shown on the attached page.



US007242136B2

(12) **United States Patent**  
Kim et al.

(10) Patent No.: **US 7,242,136 B2**  
(45) Date of Patent: **Jul. 10, 2007**

(54) **FRONT FILTER, AND PLASMA DISPLAY APPARATUS HAVING THE SAME**

(75) Inventors: **Young Sung Kim, Yongin-si (KR); Kyung Ku Kim, Seoul (KR); Hong Rae Cha, Seoul (KR); Myeong Soo Chang, Oeuihang-si (KR); Byung Gil Ryu, Seoul (KR); Eun Ho Yoo, Goyang-si (KR)**

(73) Assignee: **LG Electronics Inc., Seoul (KR)**

(\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 334 days.

(21) Appl. No.: **10/796,102**

(22) Filed: **Mar. 10, 2004**

(65) **Prior Publication Data**

US 2004/0178729 A1 Sep. 16, 2004

(30) **Foreign Application Priority Data**

Mar. 11, 2003 (KR) ..... 10-2003-0015174

(51) **Int. Cl.**  
*G06F 3/033* (2006.01)  
*G09F 9/00* (2006.01)  
*H01J 61/40* (2006.01)

(52) **U.S. Cl.** ..... 313/112; 313/582; 359/885;  
359/577

(58) **Field of Classification Search** ..... 345/173-178;  
178/18.01-20.06

See application file for complete search history.

(56) **References Cited**

## U.S. PATENT DOCUMENTS

4,794,634 A *	12/1988	Torihata et al. ....	379/93.19
6,061,177 A *	5/2000	Fujimoto .....	359/443
6,087,012 A *	7/2000	Varaprasad et al. ....	428/428
6,215,477 B1 *	4/2001	Morrison et al. ....	345/173
6,876,355 B1 *	4/2005	Ahn et al. ....	345/173
6,887,631 B2 *	5/2005	Kiguchi et al. ....	430/7
6,933,086 B2 *	8/2005	Sakurada .....	430/7
7,053,886 B2 *	5/2006	Shin .....	345/173
2003/0122801 A1 *	7/2003	Yu .....	345/173
2005/0062410 A1 *	3/2005	Bell et al. ....	313/506

## FOREIGN PATENT DOCUMENTS

JP 10-163671 \* 6/1998

\* cited by examiner

Primary Examiner—Ashok Patel

(74) Attorney, Agent, or Firm—Ked & Associates, LLP.

(57) **ABSTRACT**

The present invention relates to a front filter having a touch screen, and a plasma display apparatus having the same. The front filter installed on a front surface of a panel of a plasma display apparatus, the front filter including: a touch screen for generating a coordinate signal with respect to a touch point.

22 Claims, 9 Drawing Sheets

130




Fig. 8




Fig. 9




Fig. 11

256